




**Cellular**

# Wireless Generator Monitor



Generator Service Co. and/or End User

The **AP-GM130** & **AP-GM130-C** wireless generator monitors from CRN Wireless provide real-time notification of critical generator events.

### Product Highlights

- 24-hour remote wireless monitoring of automatic standby generators.
- Communication of critical generator events in real-time:
  - Generator Run and Generator Stop
  - Generator not in Auto mode
  - Maintenance due
  - Generator exercise cycle missed
  - *plus* Auxiliary inputs for customized alerts
- Virtual hour meter tracks generator run time.
- Universal compatibility.
  - Works with all generator models, regardless of generator brand or manufacture date.
- Uses nationwide cellular wireless networks to communicate.
  - AP-GM130 - Utilizes 4G networks. Roams to 3G or 2G networks.
  - AP-GM130-C - Utilizes nationwide CDMA cellular networks.
- Alerts sent via email and/or text to as many recipients as desired.
  - Mission-critical monitoring option: Alerts can also be monitored by a central station for generators used in critical power supply operations.
- Works with commercial and residential generators.
- All units are factory-programmed. No additional software needed.

### Product Benefits

- **Increase Revenue.** Generate incremental revenue from your customer for this valuable monitoring service. Incorporate into your maintenance contract.
- **Improve Customer Satisfaction.** Proactively address generator problems and reduce incidents of generator failure during power loss.
- **Increase Profit.** Accurately plan maintenance needs using information from the device and schedule maintenance visits more efficiently.



### Technical Specifications

- Radio Transceiver:
  - AP-GM130 - UMTS quad band.
  - AP-GM130-C - 1xRTT dual band.
- Power Source: 12VDC from generator battery.
- Standby power consumption: < 20 Ma.
- Transmit power consumption: < 2 A for less than one second.
- Dimensions: 12.5"H x 3.5"W x 5.0"D.