




Cellular

Wireless Generator Monitor



The **AP-GM130 Series** of wireless generator monitors from CRN Wireless provide real-time notification of critical generator events.

Product Highlights

- 24-hour remote wireless monitoring of automatic standby generators.
- Communication of critical generator events in real-time:
 - Generator Run and Generator Stop
 - Generator not in Auto mode
 - Maintenance due
 - Generator exercise cycle missed
 - *plus* Auxiliary inputs for customized alerts
- Virtual hour meter tracks generator run time.
- Universal compatibility.
 - Works with all generator models, regardless of generator brand or manufacture date.
- Uses nationwide cellular wireless networks to communicate.
 - AP-GM130-L -Utilizes LTE Long Term Evolution networks.
 - AP-GM130-C - Utilizes nationwide CDMA cellular networks.
- Alerts sent via email and/or text to as many recipients as desired.
 - Mission-critical monitoring option: Alerts can also be monitored by a central station for generators used in critical power supply operations.
- Works with commercial and residential generators.
- All units are factory-programmed. No additional software needed.

Product Benefits

- **Increase Revenue.** Generate incremental revenue from your customer for this valuable monitoring service. Incorporate into your maintenance contract.
- **Improve Customer Satisfaction.** Proactively address generator problems and reduce incidents of generator failure during power loss.
- **Increase Profit.** Accurately plan maintenance needs using information from the device and schedule maintenance visits more efficiently.



Technical Specifications

- Radio Transceiver:
 - AP-GM130-L - CAT1 penta band.
 - AP-GM130-C - 1xRTT dual band.
- Power Source: 12VDC from generator battery.
- Standby power consumption: < 20 Ma.
- Transmit power consumption: < 2 A for less than one second.
- Dimensions: 12.5"H x 3.5"W x 5.0"D.